Manufactured by Meoded Paints & Decoration
6314 Santa Monica Blvd., Los Angeles, CA 90038
1-323-308-2600 | **www.meodedPaint.com**

or Meoded Stain Shield Sealer

Renaissance Marbleized

Venetian Plaster | Marble Effect

Acrylic Plaster

Low VOC / Eco-Friendly

Renaissance Marbleized *is a premium acrylic based Venetian Plaster formulated to create a high gloss marbleized finish through multi-layered applications.* ***Renaissance*** *can be tinted to any color to create multi-colored marble effects on almost any interior surface.*
Its unique formula allows for as many wet-on-wet layers needed for a marble finish, allowing for easy adjustments without any worry of peeling. ***Renaissance*** *is particularly elegant and is designed for precious wall spaces for both residential, commercial spaces, and any environment where a seamless marble finish is desired.*

COLORS

Renaissance can be tinted to any of Meoded's 80 color fan deck and/or color matched to almost any color using universal tints or machine colorants. Meoded's natural concentrated "VOC free" pigments are recommended for dark colors.

SIZES AND COVERAGE

Renaissance yields a high coverage rate due to its thin layers. The coverage of **Renaissance** is in regards to its 2 layer application.
One Quart (1.0 kg (2.2 lbs)) roughly 26-36 sq ft
One Gallon (5.0 kg (11lbs)) roughly 130-180 sq ft
One Bucket (20 kg (44 lbs)) roughly 520-720 sq ft

APPLICATION STEPS

1. Prepare Substrate
2. Prime Substrate
3. First Coat Application
4. Second Coat / Burnishing Application.
6. Seal Plaster With Meoded Hydrowax™

PREPARATION

Masking - Tape, mask and cover adjacent surfaces to protect them from splatter. Surface should be smooth, clean and dust free. It is recommended to apply over a level 5 wall.

PRIMING

- New Surface - Prime substrates with PVA acrylic primer and let it dry fully. Apply one coat of Meoded Quartz Primer, allowing it at least 3-5 hours to dry.
- Existing Surface - Any surface with sheen should be sanded lightly, cleaned and dust free. Then prime the surface with multi-purpose primer and let it dry fully. Next, apply one coat of Meoded Quartz Primer, allowing it to dry for at least 3-5 hours. Preparation of flat surfaces requires only the application of Meoded Quartz Primer.

MIXING

Renaissance is shipped as a white paste. If tinted, mix **Renaissance** to distribute colorants evenly. If needed, dilute with a small amount of clean portable water for easier mixing. Use clean tools for mixing. Avoid contaminating plaster materials with any foreign matter such as dirt, dust and debris.

INSTALLATION

Use a stainless steel trowel or spatula. Meoded offers a wide variety of specialty plaster tools including stainless steel trowels and spatulas used to install **Renaissance**.

FIRST COAT

First coat of **Renaissance** should be applied in a thin and even manner, covering the entire wall. Allow at least 12 hours for the first coat to dry.

Manufactured by Meoded Paints & Decoration
6314 Santa Monica Blvd., Los Angeles, CA 90038
1-323-308-2600 | **www.meodedPaint.com**

SECOND COAT & BURNISHING

If it's necessary to smooth, lightly sand the first coat with 180-220 grit sandpaper before proceeding. Make sure to remove all dust particles from the surface. The second coat should be applied and spread tightly in an overlapping patches pattern. On the second coat, you can incorporate multiple colors, draw marble veins, and then burnish to get a smooth, shiny finish. You can continue to add more layers and burnish any time. If extra sheen is desired, sand using 1,000-2,000 grit sandpaper.

WAX

After allowing a minimum of 24-48 hours to dry, it is recommended to apply a protective coat of Meoded's Hydrowax to protect your finish from moisture and dirt while also enhancing sheen and gloss. Use a clean spatula or trowel to apply a thin layer of wax. Work the wax on the surface and remove any excess. Buffing the surface produces a polished effect.

SEALER

If no extra shine is desired on the finish, apply two to three coats of Meoded's Stain Shield sealer to protect the product from moisture and dirt.

CLEAN UP

Remove temporary protection, such as masking tape and covers. Clean up spills and splatters using methods that will not damage the surfaces.

DELIVERY, STORAGE AND HANDLING

Keep materials away from direct sunlight. Store them in original, unopened packages in a dry, dark location at temperatures between 45 to 95 degrees F. Always wear OSHA-compliant eye protection. Wear a respirator to sand or scrape the product. Work only in well-ventilated areas. Avoid prolonged skin contact. Avoid working with the material in temperatures below 45 degrees F or above 95 degrees F. Keep away from children. Do not use products older than one year. Read the entire SDS and product labels.

APPEARANCE TOLERANCES

The application and field conditions may alter the product's appearance. Colors and textures displayed on color cards and product samples are approximate, not exact. Contractors should prepare mock-ups and/or samples to display the actual materials and workmanship prior to final approval. Mottling, texture, and variations in appearance and hue are a normal part of any plaster surface and add to **Renaissance**'s aesthetic appeal.

AVAILABILITY

Meoded products are sold through the company's network of distributors throughout the United States. Contact Meoded or visit our website www.meodedPaint.com for referrals to local sources.

WARRANTY

Meoded Paints & Decoration™ warrants its products for the purpose in which they were intended for, when applied and used in accordance with manufacturer's instructions within 10 months of production date. Warranty period of Meoded's products is 5 years from the date of installation. **Meoded Paints & Decoration™** reserves the right to inspect installations prior to resolving any claims made under this warranty. This limited warranty is exclusive and in lieu of all other warranties; Either written, oral or otherwise implied. **Meoded Paints & Decoration™** also excludeS any liability for consequential damages. Meoded's liability under this warranty is limited to the replacement of products found to be defective

Manufactured by Meoded Paints & Decoration
6314 Santa Monica Blvd., Los Angeles, CA 90038
1-323-308-2600 | **www.meodedPaint.com**

or refund to the original purchaser, with proof of purchase.

CLEANING AND MAINTENANCE

Use a dry cloth to remove dust and loose dirt from surfaces, then wipe them with a clean damp cloth as needed. Mild detergents or proprietary cleaning agents may also be used. Scrub gently or use a low-pressure water stream if necessary. Solvents such as acetone or mineral spirits can also be used, provided proper safety procedures are observed. Clean vertical surfaces moving upward from the bottom. Use a damp rag followed by a dry rag to remove any remaining cleaning agents. Find a small, inconspicuous portion of the surface to test cleaning products and methods before applying them to a wider area. Follow the manufacturer's package label instructions.

BLEMISHES

Some scuff marks, scratches and stains that resist normal cleaning techniques may respond to light sanding with 1,000 grit sandpaper or the finest grade steel wool. Find a small, inconspicuous portion of the surface to test these techniques. Reapply sealer or wax to sanded areas as necessary.

REPAIRS

The application style of **Renaissance** makes it easy to blend-in repairs. Contact Meoded for details.

WARNING!

This product may contain traces of chemicals known to the state of California to cause cancer and birth defects or other reproductive harm.

TECHNICAL SERVICES & SUPPORT

Meoded provides customers with any level of assistance that may need to gain full value from our products. Designers can call upon our professional staff to match colors or create new colors for custom installations. We're ready to provide color charts and sample boards for texture evaluations and comparisons. Installers can call upon our master craftsman for advice and guidance at every step of the installation process. If you have any questions whatsoever, our enthusiastic and courteous staff will provide the support you need to experience the **Renaissance** advantage.

Every Meoded product comes with instructions that are more than adequate to guide any finish contractor or homeowner to a successful installation. In addition, we offer professional seminars for applicators of all skill and experience levels. We teach everything from the basic installation steps to tips and techniques for artists and artisans.